

MULTI-CELL DECT SYSTEM

the voice of business



SYSTEM OVERVIEW



KX-TCA355AL Tough Type Model

Enjoy superb mobility no matter where you work, whether it is in an office, factory, warehouse, supermarket or other large facility. The Panasonic Multi-Cell DECT System keeps you in constant touch with colleagues and key customers even when you have to leave your work area. Elegant, compact and convenient, these high-performance telephones put advanced communication technology at your fingertips.

The Multi-Cell DECT System is an integrated wireless system that is specifically designed for use with a Panasonic KX-TDA Hybrid IP-PBX*.

ACTUAL SIZE



KX-TCA256AL Compact Business Model

This system provides automatic hand-over between cells, giving you true communication mobility even in large premises.

The KX-TCA256AL DECT handset combines small size and light weight with a host of powerful features. The KX-TCA155AL is a good choice for users who want good basic performance at a lower cost. And for users who users that require a ruggedised handset, the new Panasonic KX-TCA355AL meets strict dust and splash resistant IP54 standards. This is combined with a vast array of business telephony features.

* The KX-TCA155AL, KX-TCA256AL and KX- TCA355AL must be connected to a Panasonic KX-TDA Hybrid IP-PBX System.



KX-TCA155AL Basic Model

Panasonic Multi-Cell DECT System Features

Easy Operation

- Graphical Icon Menu
- Dynamic Operation Guidance with Soft Keys

Easy Access to PBX Features

Flexible Programmable Keys let you register PBX features and handset functions for quick, convenient access. A graphical PBX Feature Menu is also available to further improve operating ease.

SYSTEM OVERVIEW

Blue LCD Backlight

Whenever you get a call or touch a key, the LCD lights up in blue so you can see who's calling and easily operate the phone - even in the dark.

Seamless Connection – Automatic Hand-Over

There is no change in the connection quality as you move from one cell station area to the next while conversing with a colleague in the same building or with a customer outside.

200-Station Phonebook

The built-in telephone directory lets you store 200 station names and numbers.

Automatic Answer / Optional Headset for Hands-Free Conversation

Plug in the optional headset and enjoy the ease and unrestricted freedom of hands-free communication.

With the optional headset, you can answer incoming calls without even touching the handset.

Incoming Call Indication by Vibration*

KX-TCA256AL and the KX-TCA355AL have a built-in Vibrate feature that ensures you'll never miss an incoming call, even in a noisy place.

* KX-TCA256AL and KX-TCA355AL only.

Polyphonic Ring Tones

A variety of high-quality sounds can be reproduced for your ring tones. You can choose from 9 pre-set melodies and 6 ring tones.

Customised Caller ID*

You can customise the Caller ID feature to quickly recognise a caller by assigning one of three LED colours and 15 pre-installed ringer/ melody sounds to specified groups.

* Requires subscription to a Caller ID service offered by a local telephone company.

Illuminated Keypad


For easier operation in dim lighting, the keyboard lights up when a call comes in or when you touch a key.

SPECIFICATIONS

o. 2011 107 11 101 10		KX-TCA355	KX-TCA256	KX-TCA155
Liquid Crystal Display (LCD)		16 x 6 Lines	16 x 6 Lines	16 x 6 Lines
		Back Light (Blue)	Back Light (Blue)	Back Light (Blue)
Multiple Lan	Multiple Languages Display		16 (fixed)	16 (fixed)
Illuminated Keypad		Yes (Green)	Yes (Green)	Yes (Green)
Headset Co	mpatible	Yes	Yes	Yes
Phonebook		200	200	200
Redial	Redial		Last 5 Numbers	Last 5 Numbers
Call Log*	Incoming Call	10	10	10
	Outgoing Call	5	5	5
Soft Keys		3	3	3
Speakerpho	ne	Yes	Yes	Yes
Ringer LED		3 Colours	3 Colours	3 Colours
Ringer Volui	me	6 Levels and Off	6 Levels and Off	6 Levels and Off
Ring Melodies (Polyphonic)		9	9	9
Ring Tones	(Polyphonic)	6	6	6
Vibrate Ring	J	Yes	Yes	-
Message Wa	aiting Notification	Yes	Yes	Yes
Mute		Yes	Yes	Yes
Caller ID Co	mpatibility	Yes	Yes	Yes
Private Ring	jing	Yes	Yes	Yes
Hot-Key Dia	lling	10	10	10
Alarm Clock		3	3	3
Call Restrict	ion	Yes	Yes	Yes
Conference	Calling	Yes	Yes	Yes
Ear Receive	r Volume	3 steps	3 steps	3 steps
Key Lock		Yes	Yes	Yes
Any-key Ans	swering	Yes	Yes	Yes
Frequency		1.9 GHz	1.9 GHz	1.9 GHz
Dimensions	(L x W x D) (mm)	150 x 50 x 27	123 x 45 x 22	143 x 48 x 31.5
Weight		160 g	120 g	130 g
Battery Type	-	Ni-MH	Ni-MH	Ni-MH
		3.6V 650mAh	3.6V 650mAh	2.4V 700mAh
Battery Talk Time		17 hours	17 hours	10 hours
Battery Standby Time		270 hours	270 hours	120 hours
Battery Charge Time		5.5 hours	5.5 hours	9 hours


 $^{^{\}star}\,\mbox{The number of default settings.}$ When connected to the KX-TDA Hybrid IP PBX.

DECT COVERAGE STUDY



Study 2

Used with a Repeater (KX-A272AL), the range can be extended. A maximum of six repeaters per CS is possible.





 $Note: Before \ making \ an \ installation \ cost \ estimate, it is \ necessary \ to \ survey \ the \ customer's \ site.$


SYSTEM CAPACITY


	KX-TDA30AL	KX-TDA200AL	KX-TDA600AL	
KX-TDA0144 (8 Cell Station Interface Card)	-	4	16	
KX-TDA0142 (4ch Cell Station)	-	32	128	
KX-TDA0141 (2ch Cell Station)	8	-	128	
DECT Handset	28	128	256/512*	

 $^{^{*}}$ A maximum of 512 DECT Handsets can only be achieved on a KX-TDA600AL with Memory Expansion Card [EMEC] installed.

















Head Office NSW

Austlink Corporate Park 1 Garigal Road BELROSE 2085 PH: (02) 9986-7400 FAX: (02) 9986-7450

Design and specifications are subject to change without notice.



For further information or location of your nearest Panasonic stockist please telephone Panasonic's Customer Care Centre on 132 600

